



1. Responsibility of Permittee

The permittee shall be knowledgeable and in compliance with all applicable City of Rialto conditions, requirements, and laws for the use of the City's roadway system and in particular movement of extralegal vehicles and/or loads.

2. Possession of Permit

This permit shall be carried in the vehicle to which it refers at all times while the vehicle is within the City's roadway limits. (California Vehicle Code (CVC), Section 35783)

3. Void Permits

This permit is null and void and hereby declared non-existent if:

- a. **ANY PORTION, PART OR SECTION IS ILLEGIBLE.**
- b. If used before or after the times and dates indicated.
- c. If any portion, part or section has been altered or if any attempt to alter is apparent.
- d. If used to represent proper authority for carrying a load and/or moving a vehicle that is not specifically described on the face of the permit.
- e. If used to represent proper authority for carrying a load and/or moving a vehicle by any company, not specifically named on the permit.
- f. If presented without the attachments specifically named on the face of the permit firmly affixed.

4. Permittee Agreement

Acceptance of this permit constitutes an agreement by the permittee to observe and comply with all of the general and specific conditions on the face of the permit and attachments thereto.

5. Verification

The use of this permit is prima facie evidence that the driver has checked the load and/or vehicle and knows it to be within the limits as set forth hereon and has verified the routing accuracy. The vehicle and/or load authorized under this permit is subject to inspection by representatives of the City of Rialto.

6. Overhead Clearance

When the height of the load exceeds legal limit, it becomes the responsibility of the permittee to check all underpasses, over crossings, bridges, overhead wires or other structures for impaired vertical clearance and to arrange clearance or request alternate routing before commencing travel.



7. Liabilities

The permittee is responsible for all liability for injury to, or death of person, or damage to property which may occur through any act or omission of the permittee or the City of Rialto arising from the issuance of this permit. In the event any claim, suit or action is brought against the City of Rialto, its officers, employees or agents thereof, by reason of, or in connection with any such act or omission, permittee shall defend, indemnify, and hold harmless the City of Rialto, its officers, employees or agents from such claim, suit or action.

8. Repair of Damage

In accepting this permit, the permittee agrees to repair at its own expense and to the satisfaction of the City Engineer, any damage to the City's roadway improvements, appurtenances or structures resulting from travel under this permit. Notwithstanding, work or repair may be performed by the City of Rialto, at the sole discretion of the City Engineer, and the permittee hereby agrees to pay the City for all costs incurred within 30 days' notice thereof. In the event of damage to City facilities such as bridges, traffic signals, light standards and other appurtenances, a written report must be filed with the City Engineer within 72 hours after such damage occurred. Failure to file this report will be considered cause for cancellation of all permit privileges pending a satisfactory arrangement with the City for repair or replacement of the damaged facility.

9. Accident Reporting

Accidents occurring while operating under this permit, and requiring a report to be filed with the California Department of Motor Vehicles under CVC Section 16000 shall also be reported to the City Engineer. A copy of the permit and accident report shall be mailed to the City of Rialto Public Works Department, 335 W. Rialto Ave., Rialto, CA 92376 within 10 days of the date of the accident. Failure to file the accident report with the City of Rialto will be considered cause for cancellation of all permit privileges.

10. Reducible Loads

- a. This permit is issued for the movement of an "Extralegal Load" as defined in CVC Section 320.5 when loaded at its least dimensions.
- b. This permit is automatically cancelled if the permitted dimensions and weight can be reduced to legal limits by repositioning and/or practical removal of a part, portion, or unit therefrom.
- c. This permit does not authorize extralegal weight if the load can be repositioned to stay within legal axle or axle group weights authorized by CVC Sections 35551 or 35551.5. If the load cannot be repositioned, the weights shown on the permit are authorized.
- d. Other items may be hauled in addition to the permitted item provided they do not exceed the dimensions of the vehicle or permitted item (whichever is greater) and the loaded vehicle is of legal axle and gross weights.



- e. Over height permits shall not be issued for items transported on a conventional flat deck trailer unless the deck is needed to support a long fragile load or a long load that would cause unbalanced axle group weights.
- f. An extra legal self-propelled fixed load vehicle may tow a legal "Vehicle" with the following conditions:
 - 1) The towed vehicle does not transfer weight to the towing vehicle
 - 2) Maximum vehicle combination length 65' 0"
 - 3) The self-propelled fixed load will not be close coupled to the towed trailer
 - 4) The total gross weight imposed by the towed vehicle will not exceed 20,000 lbs.

"Vehicle" as defined in CVC Section 670.

"Trailer" as defined in CVC Section 630.

11. Moving in Inclement Weather

Movement shall not occur in fog, rain or wind when visibility is restricted to less than 1,000 feet. Movement is prohibited when road surfaces are hazardous due to rain, ice, or frost. In addition, manufactured housing shall not be moved when the velocity of the wind is such that it causes the vehicle being towed to whip or swerve from side-to-side, or fail to follow substantially in the path of the towing vehicle.

Any accident caused by excessive wind or weather conditions shall be considered a prime facie violation of this condition.

12. Lane Use

When practical, the vehicle shall be kept in the far right lane of the highway and shall not encroach on highway shoulders except where necessary to allow trailing traffic to pass.

13. Moving in Convoy

Movement in convoy shall not be permitted unless specified on the face of this permit.

14. Towing Disabled Permit Vehicles

Disabled extralegal vehicles or extralegal combinations of vehicles, whose movement is authorized by a transportation permit, or any disabled legal vehicle or legal combination of vehicles which, because of damage, has incurred distortion in width or height thereby causing an excess in legal dimensions may only be moved at the direction of a peace officer. Disabled overweight permit vehicles/loads shall only be authorized movement by a peace officer to a point where the City's roadway has been safely cleared. Movement of the permit vehicle/load beyond this point shall be completed under the authority of a City, County or State transportation permit, whichever is applicable. Single trip permits for towing permit vehicles shall require reduction of the disabled combinations to the least dimension possible.



15. Tires

Tires on permitted vehicles shall comply with the California Code of Regulations Title 13, commencing with Section 1085 of Article 14. Permitted axle or axle group weights shall not exceed the rated capacity marked on the tire sidewall.

16. Vehicle Manufacturer's Recommendations

By using a transportation permit for the transport of extra-legal loads issued by the City of Rialto, the hauler is responsible for complying with all the vehicle manufacturer's recommendations and assumes all liability.

17. Warning Signs and Flags

All loads/vehicles over 8'-6" in width, 80 feet in length or more than 10 feet of overhang shall display warning signs. Signs shall be posted on the front and rear of the vehicle or on the front of the lead vehicle and the rear of the back trailer with multi-vehicle combinations. Signs shall have black letters on a yellow background and comply with Section 502.9 of the California Department of Transportation "Transportation Permit Manual". Flags shall comply with Section 25104 of the CVC.

18. Movement During Darkness

"Darkness" is defined in Section 280 of the CVC as being "...any time from one-half hour after sunset to one-half hour before sunrise...". Reference to "sunset" and/or "sunrise" on the permit includes this one-half hour grace period before and after sunrise and sunset.



Special Conditions for Loads and/or Vehicles Escorted by Pilot Car(s)

The following special conditions are applicable to all permits requiring escort by pilot car(s). This attachment must accompany the permit. The absence of this attachment will void the permit.

1. Responsibilities

- Pilot cars shall maintain communications with the escorted load via two-way radio communication device.
- Pilot cars shall maintain a safe distance from the escorted vehicle to allow both passing and warning for other traffic.

2. Location

If one pilot car is required, the pilot car shall precede the escorted vehicle on two (one lane in each direction) or three-lane conventional roads. When a pilot car is required for rear overhang, (i.e. more than 25'0"), the pilot car shall follow the escorted vehicle on all routes. The pilot car shall follow the escorted vehicle on City roadways having four or more lanes, including divided roadways.

- The maximum number of pilot cars is one until the loaded width exceeds 15'0".
- If two pilot cars are required, one pilot car shall precede, and the other pilot car shall follow the escorted vehicle.
- Pilot cars shall remain right of the centerline of the roadway at all times.

3. Equipment

Failure to comply with all regulations under law renders the vehicle and/or load out of service until all necessary repairs or additional equipment is obtained to meet said requirements. Regulations include, but are not limited to the following:

- Identification placards comply with CVC Section 27904
- Warning signs comply with CVC Sections 27904.5 and 35783.5
- Warning lights comply with CVC Section 25270
- Warning flags comply with CVC Section 28100
- Vertical Clearance measuring devices comply with CVC Sections 28102 and 35252
- Additional requirements as outlined in CVC Section 28101

4. Restrictions

- It is unauthorized for a pilot car to stop, pre-empt, or impede opposing traffic.
- It is unauthorized for a pilot car to tow another vehicle while escorting a load unless it is specifically stated on the face of the transportation permit.
- It is unauthorized for pilot cars to escort more than one vehicle and/or load at one time unless specified on the face of the transportation permit.
- It is unauthorized to display STOP/SLOW sign paddles from the window of a moving vehicle.



**City of Rialto
Public Works Department
Special Conditions for Manufactured Housing
(SCMH) Transportation Permit**

October 2013
Page 1 of 1

The following special conditions are applicable to all permits authorizing travel for a "Park Trailer" as defined in Section 18010 of the Health and Safety Code or a "Manufactured Home" as defined in Section 387 of the California Vehicle Code (CVC):

General:

- 1) In acceptance of this permit, the applicant certifies that he or she is in compliance with all applicable statutes and specifically with CVC Section 35790(e) which states in part:

"Permits for the movement of manufactured homes under this section shall not be issued except to transporters or licensed manufacturers and dealers..."

- 2) Movement in convoy shall not be permitted unless specified on the face of the permit.
- 3) Units open on one side shall be covered by plywood, hard board or other rigid material. In lieu of rigid material, suitable plastics, or other flexible material may be used. Billowing or flapping plastic or flexible side covering in excess of 6 inches in any one place is not acceptable and renders the permit void until repaired.
- 4) Units open on both sides such as those used for temporary schools, warehouses, offices, etc. may be moved empty with no side covering.

Tow Vehicle:

- 1) For towing units of 12 feet in width or less:

The tow vehicle shall be a truck tractor with dual rear wheels and an unladen weight of not less than 6,500 pounds as defined in CVC Sections 655 and 660 respectively.

- 2) For towing units greater than 12 feet in width:

The tow vehicle shall be a truck tractor with dual rear wheels and an unladen weight of not less than 9,500 pounds as defined in CVC Sections 655 and 660 respectively.



**City of Rialto
Public Works Department
Special Conditions for Manufactured Housing
In Excess of 14 feet Wide – Manufacturer's Certification**

October 2013
Page 1 of 1

The following special conditions are applicable to all permits authorizing travel for a manufactured home as defined in Section 18007 of the Health and Safety Code which is in excess of 14 feet in width and of first manufacture or following a manufacturer's inspection.

Manufacturer's Certification:

Unit Serial Number: _____
(Provided by Manufacturer)

Gross Vehicle Weight Rating: _____ pounds
(Provided by Manufacturer)

THE ATTACHED PERMIT IS NULL AND VOID IF THERE IS NOT COMPLETE COMPLIANCE WITH ANY OF THE FOLLOWING CONDITIONS:

- 1) All wheels have service brakes in good operating order and in compliance with the stopping distance requirements of California Vehicle Code (CVC) Section 26454.
- 2) Breakaway breaks are installed and in good operating order consistent with CVC Sections 26304 and 35790.1.
- 3) The weight imposed upon any single axle does not exceed 6,000 pounds.
- 4) The weight imposed upon any single tire does not exceed 3,000 pounds or the manufacturer's rating (whichever is the lower of the two values).
- 5) All tires have a minimum of 2/32 of an inch tread depth, as determined by tire tread wear indicators, and are free of defect.
- 6) The weight imposed upon the hitch, drawbar, suspension, axle, wheel, or other load-bearing component does not exceed the manufacturer's rating and/or published standards for the component or item.

The undersigned acknowledges compliance with the above conditions and with CVC Section 35790.1 in entirety. Furthermore, the undersigned recognizes failure to comply with these conditions or any requirement for operation on City roadways may result in citation and penalty.

Signature

Name (Print)

Date

Title (Print)

Company (Print)



**City of Rialto
Public Works Department
Special Conditions for Manufactured Housing
In Excess of 14 feet Wide – Dealer's Certification**

October 2013
Page 1 of 1

The following special conditions are applicable to all permits authorizing travel for a manufactured home as defined in Section 18007 of the Health and Safety Code which is in excess of 14 feet in width and of first manufacture or following a manufacturer's inspection.

Dealer's Certification:

Unit Serial Number: _____
(Provided by Manufacturer)

Gross Vehicle Weight Rating: _____ pounds
(Provided by Manufacturer)

THE ATTACHED PERMIT IS NULL AND VOID IF THERE IS NOT COMPLETE COMPLIANCE WITH ANY OF THE FOLLOWING CONDITIONS:

- 1) All wheels have service brakes in good operating order and in compliance with the stopping distance requirements of California Vehicle Code (CVC) Section 26454.
- 2) Breakaway breaks are installed and in good operating order consistent with CVC Sections 26304 and 35790.1.
- 3) The weight imposed upon any single axle does not exceed 6,000 pounds.
- 4) The weight imposed upon any single tire does not exceed 3,000 pounds or the manufacturer's rating (whichever is the lower of the two values).
- 5) All tires have a minimum of 2/32 of an inch tread depth, as determined by tire tread wear indicators, and are free of defect.
- 6) The weight imposed upon the hitch, drawbar, suspension, axle, wheel, or other load-bearing component does not exceed the manufacturer's rating and/or published standards for the component or item.

The undersigned acknowledges compliance with the above conditions and with CVC Section 35790.1 in entirety. Furthermore, the undersigned recognizes failure to comply with these conditions or any requirement for operation on City roadways may result in citation and penalty.

Signature

Name (Print)

Date

Title (Print)

Dealership (Print)

Applicant: Manufacturer's Certification must accompany application.



**City of Rialto
Public Works Department
Special Conditions for Manufactured Housing
In Excess of 14 feet Wide – Transporter’s Certification**

October 2013
Page 1 of 1

The following special conditions are applicable to all permits authorizing travel for a manufactured home as defined in Section 18007 of the Health and Safety Code which is in excess of 14 feet in width and of first manufacture or following a manufacturer's inspection.

Transporter’s Certification:

Unit Serial Number: _____
(Provided by Manufacturer)

Gross Vehicle Weight Rating: _____ pounds
(Provided by Manufacturer)

THE ATTACHED PERMIT IS NULL AND VOID IF THERE IS NOT COMPLETE COMPLIANCE WITH ANY OF THE FOLLOWING CONDITIONS:

- 1) The attached Manufacturer or Dealer Certification has been reviewed and the referenced unit has been inspected for compliance by the driver(s) operating under the authority of this permit.
- 2) The driver(s) are familiar with the permitted route and have previously traversed the route so as to have first-hand knowledge of all overhead obstructions as well as possible areas of conflict with adjacent or oncoming traffic.
- 3) Where traffic control must be exercised to negotiate the permitted route, law enforcement assistance has been formally negotiated and arranged under written contract.
- 4) The driver(s) have discussed and reached understanding with all pilot car operators toward their obligations and requirements.
- 5) Permits and/or formal authorization for roadways under local jurisdiction will be carried with this permit and presented to any law enforcement officer or other representative of the City of Rialto upon request.
- 6) The driver(s) meets all requirements for Commercial Vehicle Operation in California.
- 7) The towing vehicle is a truck tractor and when in combination with the unit is capable of meeting the stopping distance requirements of California Vehicle Code (CVC) Section 26454.

The undersigned acknowledges compliance with the above conditions. Furthermore, the undersigned recognizes failure to comply with these conditions or any requirement for operation on City roadways may result in citation and penalty.

_____ Signature	_____ Name (Print)	
_____ Date	_____ Title (Print)	_____ Company (Print)